



Literaturverzeichnis | Références bibliographiques | Riferimenti bibliografici | References

Abramowitz, J. (2023). Postpartum and perinatal OCD [Fact sheet]. International OCD Foundation. <https://iocdf.org/wp-content/uploads/2014/10/Postpartum-OCD-Fact-Sheet.pdf>

Agostini, F., Neri, E., Salvatori, P., Dellabartola, S., Bozicevic, L., & Monti, F. (2015). Antenatal depressive symptoms associated with specific life events and sources of social support among Italian women. *Maternal and Child Health Journal*, 19(5), 1131–1141. <https://doi.org/10.1007/s10995-014-1613-x>

American College of Obstetricians and Gynecologists. (2018). Screening for perinatal depression: ACOG Committee Opinion No. 757. *Obstetrics and Gynecology*, 132(5), e208–e212. <https://doi.org/10.1097/AOG.0000000000002927>

American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5. Aufl.). <https://doi.org/10.1176/appi.books.9780890425596>

Amiel Castro, R. T., Pinard Anderman, C., Glover, V., O'Connor, T. G., Ehlert, U., & Kammerer, M. (2017). Associated symptoms of depression: Patterns of change during pregnancy. *Archives of Women's Mental Health*, 20(1), 123–128. <https://doi.org/10.1007/s00737-016-0685-6>

Antoniou, E., Stamoulou, P., Tzanoulinou, M. D., & Orovou, E. (2021). Perinatal mental health; the role and the effect of the partner: A systematic review. *Healthcare*, 9(11), 1572. <https://doi.org/10.3390/healthcare9111572>

Asres Bedaso, A., Adams, J., Peng, W., & Sibbritt, D. (2021). The association between social support and antenatal depressive and anxiety symptoms among Australian women. *BMC Pregnancy and Childbirth*, 21, 771. <https://doi.org/10.1186/s12884-021-04188-4>

Association of Women's Health, Obstetric and Neonatal Nurses. (2015). Mood and anxiety disorders in pregnant and postpartum women. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 44(5), 687–689. [https://www.jognn.org/article/S0884-2175\(15\)35319-3/fulltext](https://www.jognn.org/article/S0884-2175(15)35319-3/fulltext)

Ayers, S., & Sawyer, A. (2019). The impact of birth on women's health and wellbeing. In O. Taubman-Ben-Ari (Hrsg.), *Pathways and barriers to parenthood: Existential concerns regarding fertility, pregnancy, and early parenthood* (S. 199–218). Springer. https://doi.org/10.1007/978-3-030-24864-2_12

Ayers, S., Bond, R., Bertullies, S., & Wijma, K. (2016). The aetiology of post-traumatic stress following childbirth: A meta-analysis and theoretical framework. *Psychological Medicine*, 46(6), 1121–1134. <https://doi.org/10.1017/S0033291715002706>

Baumann-Hölzle, R., Binswanger, J., Heck, A., Seifritz, E., Gregorowius, D., & Altwegg, R. (2023). *Kinderwunsch bei psychischer Erkrankung – Informationsbroschüre für Patientinnen* (2. Aufl.). Stiftung Dialog Ethik; Psychiatrie St. Gallen.

Bell, A. F., Carter, C. S., Davis, J. M., Golding, J., Adejumo, O., Pyra, M., ... & Rubin, L. H. (2016). Childbirth and symptoms of postpartum depression and anxiety: A prospective birth cohort study. *Archives of Women's Mental Health*, 19(2), 219–227. <https://doi.org/10.1007/s00737-015-0555-1>

Bergant, A. M., Nguyen, T., Heim, K., Ulmer, H., & Dapunt, O. (1998). Deutschsprachige Fassung und Validierung der „Edinburgh postnatal depression scale“. *Deutsche Medizinische Wochenschrift*, 123(3), 35–40. <https://doi.org/10.1055/s-2007-1023895>

Boivin, J., Griffiths, E., & Venetis, C. A. (2011). Emotional distress in infertile women and failure of assisted reproductive technologies: Meta-analysis of prospective psychosocial studies. *British Medical Journal*, 342, d223. <https://doi.org/10.1136/bmj.d223>

- Bonari, L., Pinto, N., Ahn, E., Einarson, A., Steiner, M., & Koren, G. (2004). Perinatal risks of untreated depression during pregnancy. *The Canadian Journal of Psychiatry*, 49(11), 726–735. <https://doi.org/10.1177/070674370404901103>
- Bouazizi, A., Eickmeyer, S., Stoyanova, P., Petermann, F., Reinelt, T., & Herzmann, C. (2019). Die elterliche Beziehungsqualität als Ressource für die frühkindliche sozial-emotionale Entwicklung in den ersten Lebensjahren. *Zeitschrift für Psychiatrie, Psychologie und Psychotherapie*, 67(3), 144–154. <https://doi.org/10.1024/1661-4747/a000384>
- Bowen, A., Stewart, N., Baetz, M., & Muhajarine, N. (2009). Antenatal depression in socially high-risk women in Canada. *Journal of Epidemiology and Community Health*, 63(5), 414–416. <https://doi.org/10.1136/jech.2008.078832>
- Boyce, P., Parker, G., Barnett, B., Cooney, M., & Smith, F. (1991). Personality as a vulnerability factor to depression. *British Journal of Psychiatry*, 159, 106–114. <https://doi.org/10.1192/bjp.159.1.106>
- Brockington, I. F., Macdonald, E., & Wainscott, G. (2006). Anxiety, obsessions and morbid preoccupations in pregnancy and the puerperium. *Archives of Women's Mental Health*, 9(5), 253–263. <https://doi.org/10.1007/s00737-006-0134-z>
- Bundesamt für Statistik. (2022/2023). Arbeit und Erwerb: Panorama 2022/2023. <https://www.bfs.admin.ch/bfs/de/home/statistiken/arbeit-erwerb.html>
- Bundesamt für Statistik. (2024). Statistik der natürlichen Bevölkerungsbewegung (BEVNAT). <https://www.bfs.admin.ch/bfs/de/home/statistiken/gesundheitszustand/sterblichkeit-todesursachen/saeuglings-totgeburten.html>
- Bundesamt für Statistik. (2026, Mai). Schwangerschaftsabbrüche im Jahr 2024. <https://www.bfs.admin.ch/bfs/rm/home/statisticas/catalogs-bancas-datas/communicaziuns-prensa.gnpdetail.2025-0095.html>
- Carter, R., Cust, F., & Boath, E. (2019). Effectiveness of a peer support intervention for antenatal depression: A feasibility study. *Journal of Reproductive and Infant Psychology*, 38(3), 259–270. <https://doi.org/10.1080/02646838.2019.1668547>
- Challacombe, F. L., & Wroe, A. L. (2013). A hidden problem: Consequences of the misdiagnosis of perinatal obsessive-compulsive disorder. *British Journal of General Practice*, 63(610), 275–276. <https://doi.org/10.3399/bjgp13X667376>
- Challacombe, F. L., Salkovskis, P. M., Woolgar, M., Wilkinson, E. L., Read, J., & Acheson, R. (2016). Parenting and mother-infant interactions in the context of maternal postpartum obsessive-compulsive disorder: Effects of obsessional symptoms and mood. *Infant Behavior and Development*, 44, 11–20. <https://doi.org/10.1016/j.infbeh.2016.04.003>

Challacombe, F. L., Salkovskis, P. M., Woolgar, M., Wilkinson, E. L., Read, J., & Acheson, R. (2017). A pilot randomized controlled trial of time-intensive cognitive-behaviour therapy for postpartum obsessive-compulsive disorder: Effects on maternal symptoms, mother-infant interactions and attachment. *Psychological Medicine*, 47(8), 1478–1488. <https://doi.org/10.1017/S0033291716003573>

Choi, J. K., Wang, D., Reddish, L., & Brand, G. (2019). Efficacy of co-parenting for successful kids: A longitudinal pilot investigation. *Journal of Divorce & Remarriage*, 60(8), 630–644. <https://doi.org/10.1080/10502556.2019.1619383>

Cousineau, T. M., & Domar, A. D. (2007). Psychological impact of infertility. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 21(2), 293–308. <https://doi.org/10.1016/j.bpobgyn.2006.12.003>

Creedy, D. K., Shochet, I. M., & Horsfall, J. (2000). Childbirth and the development of acute trauma symptoms: Incidence and contributing factors. *Birth*, 27(2), 104–111. <https://doi.org/10.1046/j.1523-536x.2000.00104.x>

Cuijpers, P., Smit, F., Bohlmeijer, E., Hollon, S. D., & Andersson, G. (2009). Efficacy of cognitive-behavioural therapy and other psychological treatments for adult depression: Meta-analytic study of publication bias. *The British Journal of Psychiatry*, 196, 173–178. <https://doi.org/10.1192/bjp.bp.109.066001>

Daley, A. J., Foster, L., Long, G., Palmer, C., Robinson, O., Walmsley, H., & Ward, R. (2015). The effectiveness of exercise for the prevention and treatment of antenatal depression: Systematic review with meta-analysis. *BJOG: An International Journal of Obstetrics and Gynaecology*, 122(1), 57–62. <https://doi.org/10.1111/1471-0528.12909>

Datta, J., Palmer, M. J., Tanton, C., Gibson, L. J., Jones, K. G., Macdowall, W., & Wellings, K. (2016). Prevalence of infertility and help seeking among 15,000 women and men. *Human Reproduction*, 31(9), 2108–2118. <https://doi.org/10.1093/humrep/dew123>

Dekel, S., Ein-Dor, T., Dishy, G. A., & Mayopoulos, P. A. (2020). Beyond postpartum depression: Posttraumatic stress-depressive response following childbirth. *Archives of Women's Mental Health*, 23, 557–564. <https://doi.org/10.1007/s00737-019-01006-x>

Dennis C.L., Kingston D. (2008). A systematic review of telephone support for women during pregnancy and the early postpartum period. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, vol. 37(3), pp. 301–314. doi: [10.1111/j.1552-6909.2008.00235.x](https://doi.org/10.1111/j.1552-6909.2008.00235.x).

Dennis, C.-L., & Dowswell, T. (2013). Psychosocial and psychological interventions for preventing postpartum depression. *Cochrane Database of Systematic Reviews*, 2013(2), CD001134. <https://doi.org/10.1002/14651858.CD001134.pub3>

Dennis, C.-L., Falah-Hassani, K., & Shiri, R. (2017). Prevalence of antenatal and postnatal anxiety: Systematic review and meta-analysis. *British Journal of Psychiatry*, 210(5), 315–323. <https://doi.org/10.1192/bjp.bp.116.187179>

Di Blasio, P., Camisasca, E. L., Caravita, S. C. S., Ionio, C., Milani, L., & Valtolina, G. G. (2015). The effects of expressive writing on postpartum depression and post-traumatic stress symptoms. *Psychological Reports*, 117, 856–882. <https://doi.org/10.2466/02.13.PR0.117c29z3>

Donath, O. (2015). Regretting motherhood: A sociopolitical analysis. *Signs: Journal of Women in Culture and Society*, 40(2), 343–367. <https://doi.org/10.1086/678145>

Dorn, A., & Rohde, A. (2021). *Krisen in der Schwangerschaft: Ein Wegweiser für schwangere Frauen und alle, die sie begleiten* (1. Aufl.). Kohlhammer.

Dube, L., Nkosi-Mafutha, N., Balsom, A. A., & Gordon, J. L. (2021). Infertility-related distress and clinical targets for psychotherapy: A qualitative study. *BMJ Open*, 11(11), e050373. <https://doi.org/10.1136/bmjopen-2021-050373>

Eidgenössisches Departement des Innern. (1995). Verordnung des EDI vom 29. September 1995 über Leistungen in der obligatorischen Krankenpflegeversicherung (Krankenpflege-Leistungsverordnung, KLV; SR 832.112.31). https://www.fedlex.admin.ch/eli/cc/1995/4964_4964_4964/de

Embryotox in Zusammenarbeit mit Kittel-Schneider, S., & Rohde, A. (o. J.). *Zwangserkrankung. Embryotox & Charité*. <https://www.embryotox.de/erkrankungen/details/ansicht/erkrankung/zwangserkrankung>

Erbe, D., Diemer, L., & Gerlach, A. L. (2025). „Regretting parenthood“: Zusammenhänge bereuter Elternschaft... Prävention und Gesundheitsförderung. <https://doi.org/10.1007/s11553-025-01246-z>

Fairbrother, N., & Abramowitz, J. S. (2016). Obsessions and compulsions during pregnancy and the postpartum period. In A. Wenzel (Hrsg.), *The Oxford handbook of perinatal psychology* (S. 167–181). Oxford University Press. <https://doi.org/10.1093/oxfordhb/9780199778072.013.010>

Fairbrother, N., & Woody, S. R. (2008). New mothers' thoughts of harm related to the newborn. *Archives of Women's Mental Health*, 11(3), 221–229. <https://doi.org/10.1007/s00737-008-0016-7>

Fairbrother, N., Collardeau, F., Albert, A. Y. K., Challacombe, F. L., Thordarson, D. S., Woody, S. R., & Janssen, P. A. (2021). High prevalence and incidence of obsessive-compulsive disorder among women across pregnancy and the postpartum. *Journal of Clinical Psychiatry*, 82(2), 20m13398. <https://doi.org/10.4088/JCP.20m13398>

Fallon, V., Davies, S. M., Christiansen, P., Harrold, J. A., & Silverio, S. A. (2022). The Postpartum Specific Anxiety Scale: Confirmatory factor analyses and relationships with birth experience. *Archives of Women's Mental Health*, 25(3), 655–665. <https://doi.org/10.1007/s00737-022-01233-9>

Fallon, V., Halford, J. C. G., Bennett, K. M., & Harrold, J. A. (2016). The Postpartum Specific Anxiety Scale: Development and preliminary validation. *Archives of Women's Mental Health*, 19(6), 1079–1090. <https://doi.org/10.1007/s00737-016-0658-9>

Farren, J., Jalmbant, M., Falconieri, N., Mitchell-Jones, N., Bobdiwala, S., Al-Memar, M., Tapp, S., Van Calster, B., Wynants, L., Timmerman, D., & Bourne, T. (2020). Posttraumatic stress, anxiety and depression following miscarriage and ectopic pregnancy: A multicenter, prospective, cohort study. *American Journal of Obstetrics and Gynecology*, 222(4), 367.e1–367.e22. <https://doi.org/10.1016/j.ajog.2019.10.102>

Feijó, L., Hernandez-Reif, M., Field, T., Burns, W., Valley-Gray, S., & Simco, E. (2006). Mothers' depressed mood and anxiety levels are reduced after massaging their preterm infants. *Infant Behavior and Development*, 29(3), 476–480. <https://doi.org/10.1016/j.infbeh.2006.02.003>

Field, T. (2010). Postpartum depression effects on early interactions, parenting, and safety practices: A review. *Infant Behavior and Development*, 33(1), 1–6. <https://doi.org/10.1016/j.infbeh.2009.10.005>

Field, T. (2018). Postnatal anxiety prevalence, predictors and effects on development: A narrative review. *Infant Behavior and Development*, 51, 24–32. <https://doi.org/10.1016/j.infbeh.2018.02.005>

Fisher, P. L., & Wells, A. (2005). How effective are cognitive and behavioral treatments for obsessive-compulsive disorder? A clinical significance analysis. *Behaviour Research and Therapy*, 43(12), 1543–1558. <https://doi.org/10.1016/j.brat.2004.11.007>

Forster, F. (2021). Die psychische Gesundheit von werdenden Eltern unterstützen: Informationen und Empfehlungen für Fachpersonen. Gesundheitsförderung Schweiz. [https://gesundheitsfoerderung.ch/sites/default/files/migration/documents/Broschuere_GFCH_2021_08 - Die psychische Gesundheit von Eltern unterstuetzen.pdf](https://gesundheitsfoerderung.ch/sites/default/files/migration/documents/Broschuere_GFCH_2021_08_-_Die_psychische_Gesundheit_von_Eltern_unterstuetzen.pdf)

Forster, F. (2023). Psychische Störungen bei Frauen im Kontext der Elternschaft. *Psychiatrie & Neurologie*, 4/2023. <https://www.rosenfluh.ch/psychiatrie-neurologie-2023-04/psychische-stoerungen-bei-frauen-im-kontext-der-elternschaft>

Fuchs, I. (2021). Früher Kindsverlust und Folgeschwangerschaft: Psychotherapie und psychologische Begleitung. Ernst Reinhardt Verlag.

Garthus-Niegel, S., & Kittel-Schneider, S. (2023). Väter und peripartale psychische Erkrankungen: Das übersehene Elternteil? *Nervenarzt*, 94, 779–785. <https://doi.org/10.1007/s00115-023-01508-1>

Gavin, N. I., Gaynes, B. N., Lohr, K. N., Meltzer-Brody, S., Gartlehner, G., & Swinson, T. (2005). Perinatal depression: A systematic review of prevalence and incidence. *Obstetrics & Gynecology*, 106(5 Pt 1), 1071–1083. <https://doi.org/10.1097/01.AOG.0000183597.31630.db>

Giri, R.K., Khatrri, R.B., Mishra, S.R., Khanal, V., Sharma, V.D., & Gartoula, R.P. (2015). Prevalence and factors associated with depressive symptoms among post-partum mothers in Nepal. *BMC Research Notes*, 8, 111. <https://doi.org/10.1186/s13104-015-1074-3>

Graf, J., Dörsam, A., Giel, K., Kagan, K.-O., Götz, M., Wallwiener, S., & Stengel, A. (2021). Psychische Erkrankungen in der Peripartalzeit: Krankheitsbilder, Risikofaktoren, somato-psychische Genese und Behandlung. *PSYCH up2date*, 15(2), 163–177. <https://doi.org/10.1055/a-1150-1703>

Gregorowius, D., Baumann-Hölzle, R., Altwegg, R., Binswanger, J., Barbier Colombo, P., & Hemmeter, U. (2023). Integrierte psychiatrisch-psychotherapeutische präkonzeptionelle Beratung von Frauen im gebärfähigen Alter: Anerkannte Behandlungsempfehlungen der SGPP für Fachpersonen zur Begleitung von Frauen mit einer psychischen Erkrankung und möglichem Kinderwunsch mit dem Integrativen Präkonzeptionellen Beratungstool (IPKB) (2. Aufl.). Stiftung Dialog Ethik; Psychiatrie St. Gallen.

Grekin, R., & O'Hara, M. W. (2014). Prevalence and risk factors of postpartum posttraumatic stress disorder: A meta-analysis. *Clinical Psychology Review*, 34(5), 389–401. <https://doi.org/10.1016/j.cpr.2014.05.003>

Grussu, P., & Bramante, A. (Hrsg.). (2016). *Manuale di Psicopatologia Perinatale: Profili psicopatologici e modalità di intervento*. Erickson.

Güven, P. G., Çayır, Y., & Borekci, B. (2020). Effectiveness of acupuncture on pregnancy success rates for women undergoing in vitro fertilization: A randomized controlled trial. *Taiwanese Journal of Obstetrics & Gynecology*, 59(2), 282–286. <https://doi.org/10.1016/j.tjog.2020.01.018>

Hammarberg, K., Collins, V., Holden, C., Young, K., & McLachlan, R. (2017). Men's knowledge, attitudes and behaviours relating to fertility. *Human Reproduction Update*, 23(4), 458–480. <https://doi.org/10.1093/humupd/dmx005>

Hankin, B. L., Demers, C. H., Hennessey, E.-P., Perzow, S. E. D., Curran, M. C., Gallop, R. J., Hoffman, M. C., & Davis, E. P. (2023). Effect of brief interpersonal therapy on depression during pregnancy: A randomized clinical trial. *JAMA Psychiatry*, 80(6), 539–547. <https://doi.org/10.1001/jamapsychiatry.2023.0702>

Hendrix, Y. M. G. A., van Pampus, M. G., Hofman, A., Henrichs, J., van der Horst, H. E., & de Jongh, A. (2025). Treatment of traumatic birth experience with postpartum early eye movement desensitization and reprocessing therapy: A randomized clinical trial. *American Journal of Obstetrics and Gynecology*, 233(6), 654.e1–654.e25. <https://doi.org/10.1016/j.ajog.2025.07.051>

Herbert, D., Young, K., Pietrusińska, M., & MacBeth, A. (2022). The mental health impact of perinatal loss: A systematic review and meta-analysis. *Journal of Affective Disorders*, 297, 118–129. <https://doi.org/10.1016/j.jad.2021.10.026>

Heyne, C. S., Kazmierczak, M., Souday, R., Horesh, D., Lambregtse-van den Berg, M., Weigl, T., Horsch, A., Oosterman, M., Dikmen-Yildiz, P., & Garthus-Niegel, S. (2022). Prevalence and risk factors of birth-related posttraumatic stress among parents: A comparative systematic review and meta-analysis. *Clinical Psychology Review*, 94, 102157. <https://doi.org/10.1016/j.cpr.2022.102157>

Hofmann, S. G., & Smits, J. A. J. (2008). Cognitive-behavioral therapy for adult anxiety disorders: A meta-analysis of randomized placebo-controlled trials. *Journal of Clinical Psychiatry*, 69(4), 621–632. <https://doi.org/10.4088/JCP.v69n0415>

Horsch, A., Garthus-Niegel, S., Ayers, S., Chandra, P., Hartmann, K., Vaisbuch, E., & Lalor, J. (2024). Childbirth-related posttraumatic stress disorder: Definition, risk factors, pathophysiology, diagnosis, prevention, and treatment. *American Journal of Obstetrics and Gynecology*, 230(3, Suppl.), S1116–S1127. <https://doi.org/10.1016/j.ajog.2023.09.089>

Hudepohl, N., & Howard, M. (2014). Perinatal OCD: What research says about diagnosis and treatment. International OCD Foundation. <https://iocdf.org/expert-opinions/perinatal-ocd-what-research-says-about-diagnosis-and-treatment/>

Hudepohl, N., MacLean, J. V., & Osborne, L. M. (2022). Perinatal obsessive-compulsive disorder: Epidemiology, phenomenology, etiology, and treatment. *Current Psychiatry Reports*, 24(4), 229–237. <https://doi.org/10.1007/s11920-022-01333-4>

Huizink, A. C., Robles de Medina, P. G., Mulder, E. J., Visser, G. H., & Buitelaar, J. K. (2002). Psychological measures of prenatal stress as a predictor of infant temperament. *Journal of the American Academy of Child & Adolescent Psychiatry*, 41, 1078–1085. <https://doi.org/10.1097/00004583-200209000-00008>

Jacobs, N. N., & O'Donohue, W. T. (2007). Coping with infertility: Clinically proven ways of managing the emotional roller coaster. Routledge.

James EL, Lau-Zhu A, Tickle H, Horsch A, Holmes EA. Playing the computer game Tetris prior to viewing traumatic film material and subsequent intrusive memories: Examining proactive interference. *J Behav Ther Exp Psychiatry*. 53:25-33. <https://doi.org/10.1016/j.jbtep.2015.11.004>.

Jones, I., Chandra, P. S., Dazzan, P., & Howard, L. M. (2014). Bipolar disorder, affective psychosis, and schizophrenia in pregnancy and the post-partum period. *The Lancet*, 384(9956), 1789-1799. [https://doi.org/10.1016/S0140-6736\(14\)61278-2](https://doi.org/10.1016/S0140-6736(14)61278-2)

Kachler, R. (2025). Hypnosystemische Trauerbegleitung: Ein Leitfaden für die Praxis. Carl-Auer.

Kersting, A., & Wagner, B. (2012). Complicated grief after perinatal loss. *Dialogues in Clinical Neuroscience*, 14(2), 187-194. <https://doi.org/10.31887/DCNS.2012.14.2/akersting>

Kessler, M., & Bodenmann, G. (2012). Hebammenhilfe: Damit Eltern Paare bleiben. *Deutsche Hebammen Zeitschrift*, 10/2012. https://www.psychologie.uzh.ch/dam/jcr:ffffffffff-ffd5-f0d8-ffff-ffffed88d13e/20121028_DeutscheHebammenZeitschrift.pdf

Kittel-Schneider, S. (2021). Angststörungen in der Peripartalzeit. In M. Bauer et al. (Hrsg.), *Psychische und Verhaltensstörungen in der Peri- und Postpartalzeit*. Thieme. <https://doi.org/10.1055/b-0041-181948>

Kittel-Schneider, S. (2021). Zwangsstörungen in der Peripartalzeit. In M. Bauer, A. Meyer-Lindenberg, F. Kiefer & A. Philipsen (Hrsg.), *Referenz Psychische Störungen* (S. 836-839). Thieme. <https://doi.org/10.1055/b-0041-181949>

Kittel-Schneider, S., & Reif, A. (2016). Behandlung psychischer Störungen in Schwangerschaft und Stillzeit: Psychotherapie und andere nichtmedikamentöse Therapien. *Der Nervenarzt*, 87(9), 967-973. <https://doi.org/10.1007/s00115-016-0177-y>

Kleiman, K. (2017). Guarire dalla depressione post-partum. Erickson.

Kranenburg, L., Lambregtse-van den Berg, M., & Stramrood, C. (2023). Traumatic childbirth experience and childbirth-related post-traumatic stress disorder (PTSD): A contemporary overview. *International Journal of Environmental Research and Public Health*, 20(4), 2775. <https://doi.org/10.3390/ijerph20042775>

Krüger, S. (2006). Antipsychotika-Therapie und Kinderwunsch. *Neurotransmitter*, 11, 45–46.

Krumm, S. (2010). Biografie und Kinderwunsch bei Frauen mit schweren psychischen Erkrankungen: Eine soziologische und sozialpsychiatrische Studie. Psychiatrie-Verlag.

Kühne, S., Fricke, S., & Niebuhr, M. (o. J.). Zwangsgedanken in der Schwangerschaft und nach der Geburt. OCD Land. <https://www.ocdland.com/blog/zwangsgedanken-schwangerschaft-geburt>

Lamon, L., De Hert, M., Detraux, J., & Hompes, T. (2022). Depression and post-traumatic stress disorder after perinatal loss in fathers: A systematic review. *European Psychiatry*, 65(1), e72. <https://doi.org/10.1192/j.eurpsy.2022.2326>

Lancaster, C. A., Gold, K. J., Flynn, H. A., Yoo, H., Marcus, S. M., & Davis, M. M. (2010). Risk factors for depressive symptoms during pregnancy: A systematic review. *American Journal of Obstetrics and Gynecology*, 202(1), 5–14. <https://doi.org/10.1016/j.ajog.2009.09.007>

Lanczik, F., Fiedler, K., & Kittel-Schneider, S. (2023). Depressionen in der Schwangerschaft. *PSYCH up2date*, 17(5), 417–435. <https://doi.org/10.1055/a-2044-8033>

Lara, M.A., Navarrete, L., Nieto, L., Lugo, A., & Pineda, N. (2015). Prevalence and incidence of perinatal depression and depressive symptoms among Mexican women. *Journal of Affective Disorders*, 175, 18–24. <https://doi.org/10.1016/j.jad.2015.01.043>

Larsen, E. C., Christiansen, O. B., Kolte, A. M., & Macklon, N. (2013). New insights into mechanisms behind miscarriage. *BMC Medicine*, 11, 154. <https://doi.org/10.1186/1741-7015-11-154>

Lee EW, Denison FC, Hor K, Reynolds RM. Web-based interventions for prevention and treatment of perinatal mood disorders: a systematic review. *BMC Pregnancy Childbirth*. 2016 Feb 29;16:38. [doi: 10.1186/s12884-016-0831-1](https://doi.org/10.1186/s12884-016-0831-1)

Leinonen, J. A., Solantaus, T. S., & Punamäki, R. L. (2003). Parental mental health and children's adjustment: The quality of marital interaction and parenting as mediating factors. *Journal of Child Psychology and Psychiatry*, 44(2), 227–241. <https://doi.org/10.1111/1469-7610.t01-1-00116>

Leinweber, J., Fontein-Kuipers, Y., Thomson, G., Karlsdottir, S. I., Nilsson, C., Ekström-Bergström, A., Olza, I., Hadjigeorgiou, E., & Stramrood, C. (2022). Developing a woman-centred, inclusive definition of a traumatic childbirth experience: A discussion paper. *Birth*, 49(4), 687–696. <https://doi.org/10.1111/birt.12634>

- Liebl, T. (2018). Ein traumatisches Geburtserlebnis verarbeiten. *Österreichische Hebammenzeitung*, (4), 32–37. <https://hebammen.at/wp-content/uploads/2025/07/HZ-4.2018-Liebl-Tanja.pdf>
- Lorenzo, L. S. (2023). Beyond the 'normal' worries: Detection and treatment of perinatal anxiety and anxiety disorders. *BJPsych Advances*, 29(3), 187–197. <https://doi.org/10.1192/bja.2022.9>
- Lothrop, H. (2016). *Gute Hoffnung, jähes Ende*. Kösel-Verlag.
- Loughnan, S. A., Butler, C., Sie, A. A., Grierson, A. B., Chen, A. Z., Hobbs, M. J., Haskelberg, H., Haga, Z., Mahoney, A. E. J., Milgrom, J., & Newby, J. M. (2019). A randomised controlled trial of 'MUMentum postnatal': Internet-delivered cognitive behavioural therapy for anxiety and depression in postpartum women. *Behaviour Research and Therapy*, 116, 94–103. <https://doi.org/10.1016/j.brat.2019.03.001>
- Ludermir, A. B., Schraiber, L. B., D'Oliveira, A. F., França-Junior, I., & Jansen, H. A. (2007). Violence against women by their intimate partner and common mental disorders. *Social Science & Medicine*, 66(4), 1008–1018. <https://doi.org/10.1016/j.socscimed.2007.10.021>
- Malina, A., Głogiewicz, M., & Piotrowski, J. (2019). Supportive social interactions in infertility treatment decrease cortisol levels: Experimental study report. *Frontiers in Psychology*, 10, 2779. <https://doi.org/10.3389/fpsyg.2019.02779>
- Marchesi, C., Bertoni, S., & Maggini, C. (2009). Major and minor depression in pregnancy. *Obstetrics & Gynecology*, 113(6), 1292–1298. <https://doi.org/10.1097/AOG.0b013e3181a45e90>
- Marchesi, C., Ossola, P., Amerio, A., Daniel, B. D., Tonna, M., & De Panfilis, C. (2016). Clinical management of perinatal anxiety disorders: A systematic review. *Journal of Affective Disorders*, 190, 543–550. <https://doi.org/10.1016/j.jad.2015.11.004>
- McQuillan, J., Greil, A. L., White, L., & Jacob, M. C. (2003). The importance of motherhood and infertility for women's well-being. *American Sociological Review*, 68(4), 1007–1018. <https://doi.org/10.1111/j.1741-3737.2003.01007.x>
- Meissner, B. R. (2011). *Emotionale Narben aus Schwangerschaft und Geburt auflösen, Mutter-Kind-Bindungen heilen oder unterstützen – in jedem Alter*. Meissner.
- Míguez, M. C., & Vázquez, M. B. (2021). Risk factors for antenatal depression: A review. *World Journal of Psychiatry*, 11(7), 325–336. <https://doi.org/10.5498/wjp.v11.i7.325>

Misri, S., Abizadeh, J., Sanders, S., & Swift, E. (2015). Perinatal generalized anxiety disorder: Assessment and treatment. *Journal of Women's Health, 24*(9), 762–770. <https://doi.org/10.1089/jwh.2014.515>

Monti, F., & Agostini, F. (2006). *La depressione postnatale*. Carocci.

Morland, L., Goebert, D., Onoye, J., Frattarelli, L., Derauf, C., Herbst, M., Matsu, C., & Friedman, M. (2007). Posttraumatic stress disorder and pregnancy health: Preliminary update and implications. *Psychosomatics, 48*(4), 304–308. <https://doi.org/10.1176/appi.psy.48.4.304>

MSD Manual. (2022). *Psychische Erkrankungen in der Schwangerschaft und nach der Entbindung*. <https://www.msmanuals.com>

Mulcahy, M., Long, C., Morrow, T., Galbally, M., Rees, C., & Anderson, R. (2023). Consensus recommendations for the assessment and treatment of perinatal obsessive-compulsive disorder (OCD): A Delphi study. *Archives of Women's Mental Health, 26*(3), 389–399. <https://doi.org/10.1007/s00737-023-01315-2>

Murray, D., & Cox, J. L. (1990). Screening for depression during pregnancy with the Edinburgh Depression Scale (EDDS). *Journal of Reproductive and Infant Psychology, 8*, 99–107. <https://doi.org/10.1080/02646839008403615>

Murray, L., & Cooper, P. (2003). Intergenerational transmission of affective and cognitive processes associated with depression: Infancy and the preschool years. In I. Goodyer (Ed.), *Unipolar depression: A lifespan perspective* (pp. 17–46). Oxford University Press.

National Institute for Health and Care Excellence. (2014, aktualisiert 2020). *Antenatal and postnatal mental health: Clinical management and service guidance (CG192)*. <https://www.nice.org.uk/guidance/cg192>

Ngai, F. W., & Ngu, S. F. (2015). Predictors of maternal and paternal depressive symptoms at postpartum. *Journal of Psychosomatic Research, 78*(2), 156–161. <https://doi.org/10.1016/j.jpsychores.2014.12.003>

Nilni, Y. I., Mehralizade, A., Mayer, L., & Milanovic, S. (2018). Treatment of depression, anxiety, and trauma-related disorders during the perinatal period: A systematic review. *Clinical Psychology Review, 66*, 136–148. <https://doi.org/10.1016/j.cpr.2018.06.004>

Nomaguchi, K., & Milkie, M. A. (2020). Parenthood and well-being: A decade in review. *Journal of Marriage and Family, 82*(1), 198–223. <https://doi.org/10.1111/jomf.12646>

O'Hara, M. W. (1995). *Postpartum depression: Causes and consequences*. Springer.

O'Hara, M. W., & McCabe, J. E. (2013). Postpartum depression: Current status and future directions. *Annual Review of Clinical Psychology*, 9, 379–407. <https://doi.org/10.1146/annurev-clinpsy-050212-185612>

OECD. (2021). Balancing paid work, unpaid work and leisure. OECD Publishing. <https://www.oecd.org/gender/data/balancing-paid-work-unpaid-work-and-leisure.htm>

Öffentliches Gesundheitsportal Österreich. (2022). Psychische Erkrankungen rund um die Geburt. <https://www.gesundheit.gv.at/leben/eltern/nach-der-geburt/baby-blues.html>

Peterson, B. D., Pirritano, M., Christensen, U., & Schmidt, L. (2008). The impact of partner coping in couples experiencing infertility. *Human Reproduction*, 23(5), 1128–1137. <https://doi.org/10.1093/humrep/den067>

Pilkington, P. D., Milne, L. C., Cairns, K. E., Lewis, J., & Whelan, T. A. (2015). Modifiable partner factors associated with perinatal depression and anxiety: A systematic review and meta-analysis. *Journal of Affective Disorders*, 178, 165–180. <https://doi.org/10.1016/j.jad.2015.02.023>

PricewaterhouseCoopers, Perinatal Wellbeing Centre PANDA, & Peach Tree Perinatal Wellness. (2019). The cost of perinatal depression and anxiety in Australia. Sydney, NSW. https://assets.pc.gov.au/data/assets/pdf_file/0017/250811/sub752-mental-health-attachment.pdf

Quatraro, R. M., & Grussu, P. (Hrsg.). (2018). *Psicologia clinica perinatale: Dalla teoria alla pratica*. Erickson. https://static.erickson.it/prod/files/ItemVariant/itemvariant_sfogliolibro/198117_9788859015901_x929_psicologia-clinica-perinatale.pdf

Quenby, S., Gallos, I. D., Dhillon-Smith, R. K., Podsek, M., Stephenson, M. D., Fisher, J., Brosens, J. J., Brewin, J., Ramhorst, R., Lucas, E. S., McCoy, R. C., Anderson, R., Daher, S., Regan, L., Al-Memar, M., Bourne, T., MacIntyre, D. A., Rai, R., Christiansen, O. B., & Coomarasamy, A. (2021). Miscarriage matters: The epidemiological, physical, psychological, and economic costs of early pregnancy loss. *The Lancet*, 397(10285), 1658–1667. [https://doi.org/10.1016/S0140-6736\(21\)00682-6](https://doi.org/10.1016/S0140-6736(21)00682-6)

Reck, C., Hunt, A., Fuchs, T., Weiss, R., Noon, A., Moehler, E., Downing, G., Tronick, E. Z., & Mundt, C. (2004). Interactive regulation of affect in postpartum depressed mothers and their infants: An overview. *Psychopathology*, 37(6), 272–280. <https://doi.org/10.1159/000081983>

Reddemann, L. (2014). Psychodynamisch imaginative Traumatherapie: PITT – das Manual; ein resilienzorientierter Ansatz in der Psychotraumatologie. Klett-Cotta.

Reid, K. M., & Taylor, M. G. (2015). Social support, stress, and maternal postpartum depression: A comparison of supportive relationships. *Social Science Research*, 54, 246–262. <https://doi.org/10.1016/j.ssresearch.2015.08.009>

Riecher-Rössler, A. (2015). Depression in der Peripartalzeit – Diagnostik, Therapie und Prophylaxe. *PSYCH up2date*, 9(3), 149–160. <https://scispace.com/pdf/depression-in-der-peripartalzeit-diagnostik-therapie-und-55uwzsevju.pdf>

Robertson, E., Grace, S., Wallington, T., & Stewart, D. E. (2004). Antenatal risk factors for postpartum depression: A synthesis of recent literature. *General Hospital Psychiatry*, 26(4), 289–295. <https://doi.org/10.1016/j.genhosppsych.2004.02.006>

Rohde, A. & Schaefer, C. (2010). Psychopharmakotherapie in Schwangerschaft und Stillzeit: Arzneysicherheit, Beratung, Entscheidungsfindung (3. Aufl.). Georg Thieme Verlag.

Rohde, A., Hocke, A. & Dorn, A. (2017). Psychosomatik in der Gynäkologie. Schattauer.

Salari, N., Sharifi, S., Hassanabadi, M., Babajani, F., Khazaie, H., & Mohammadi, M. (2024). Global prevalence of obsessive-compulsive disorder in pregnancy and postpartum: A systematic review and meta-analysis. *Journal of Affective Disorders Reports*, 18, 100846. <https://doi.org/10.1016/j.jadr.2024.100846>

San Lazaro Campillo, I., Meaney, S., McNamara, K., & O'Donoghue, K. (2017). Psychological and support interventions to reduce levels of stress, anxiety or depression on women's subsequent pregnancy with a history of miscarriage: An empty systematic review. *BMJ Open*, 7(9), e017802. <https://doi.org/10.1136/bmjopen-2017-017802>

Schmidt-Zadel, R., & Kunze, H. (2004). Die Zukunft hat begonnen: Personenzentrierte Hilfen – Erfahrungen und Perspektiven. Psychiatrie-Verlag.

Schmidt, L. (2006). Psychosocial consequences of infertility and assisted reproduction – What are the research priorities? *Human Fertility*, 9(1), 14–20. <https://doi.org/10.1080/14647270802331487>

Schneider, I., & Zietlow, A.-L. (2023). Die Eltern-Kind-Beziehung im Kontext elterlicher psychischer Erkrankung – Möglichkeiten zur Intervention. *Der Nervenarzt*, 94(9). <https://doi.org/10.1007/s00115-023-01491-7>

Seimyr, L., Welles-Nystrom, B., & Nissen, E. (2013). A history of mental health problems may predict maternal distress in women postpartum. *Midwifery*, 29(2), 122–131. <https://pubmed.ncbi.nlm.nih.gov/22265225/>

Shaohua, L., & Shorey, S. (2021). Psychosocial interventions on psychological outcomes of parents with perinatal loss: A systematic review and meta-analysis. *International Journal of Nursing Studies*, 117, 103871. <https://doi.org/10.1016/j.ijnurstu.2021.103871>

Sharma, V., & Pope, C. J. (2012). Pregnancy and bipolar disorder: A systematic review. *Journal of Clinical Psychiatry*, 73(11), 1447–1455. <https://doi.org/10.4088/JCP.11r07499>

Shortis, E., Warrington, D., & Whittaker, P. (2020). The efficacy of cognitive behavioral therapy for the treatment of antenatal depression: A systematic review. *Journal of Affective Disorders*, 272, 485–495. <https://doi.org/10.1016/j.jad.2020.03.067>

Silverwood, V. A., Bullock, L., Turner, K., Chew-Graham, C. A., & Kingstone, T. (2022). The approach to managing perinatal anxiety: A mini-review. *Frontiers in Psychiatry*, 13, 867190. <https://doi.org/10.3389/fpsy.2022.1022459>

Slade, P., Murphy, A., & Hayden, E. (2022). Identifying post-traumatic stress disorder after childbirth. *BMJ*, 377, e067659. <https://doi.org/10.1136/bmj-2021-067659>

Slama, R., Bouyer, J., Windham, G., Fenster, L., Werwatz, A., & Swan, S. H. (2012). Estimating fertility from demographic and reproductive history data: A comparison of different methods. *Human Reproduction*, 27(4), 1159–1167.

Slama, R., Hansen, O. K. H., Ducot, B., Bohet, A., Sorensen, D. N., Giorgis Allemand, L. e Bouyer, J. (2012). Estimation of the frequency of involuntary infertility on a nation-wide basis. *Human Reproduction*, 27(5), 1489–98. doi: [10.1093/humrep/des070](https://doi.org/10.1093/humrep/des070).

Slomian, J., Honvo, G., Emonts, P., Reginster, J. Y., & Bruyère, O. (2019). Consequences of maternal postpartum depression: A systematic review of maternal and infant outcomes. *Women's Health*, 15, 1745506519844044. <https://doi.org/10.1177/1745506519844044>

Smith, C. A., Shewamene, Z., Galbally, M., Schmied, V., & Dahlen, H. (2019). The effect of complementary medicines and therapies on maternal anxiety and depression in pregnancy: A systematic review and meta-analysis. *Journal of Affective Disorders*, 245, 428–439. <https://doi.org/10.1016/j.jad.2018.11.054>

Somerville, S., Dedman, K., Hagan, R., Oxnam, E., Wettinger, M., Byrne, S., Coo, S., Doherty, D., & Page, A. C. (2014). The Perinatal Anxiety Screening Scale: Development and preliminary validation. *Archives of Women's Mental Health*, 17(5), 443–454. <https://doi.org/10.1007/s00737-014-0425-8>

Spinelli, M. G. (1997). Interpersonal psychotherapy for depressed antepartum women: A pilot study. *The American Journal of Psychiatry*, 154, 1028–1030. <https://doi.org/10.1176/ajp.154.7.1028>

SRF. (2024, Januar). Regretting Motherhood – Ich bereue das Muttersein [Podcast-Episode]. Input. <https://www.srf.ch/audio/input/regretting-motherhood-ich-bereue-das-muttersein-1-2?id=6012125d-4c17-4f5f-b3b4-b0475bbf343d>

Starcevic, V., Eslick, G. D., Viswasam, K., & Berle, D. (2020). Symptoms of obsessive-compulsive disorder during pregnancy and the postpartum period: A systematic review and meta-analysis. *Psychiatric Quarterly*, 91(4), 965–981. <https://doi.org/10.1007/s11126-020-09769-8>

Stein, D. J., Costa, D. L. C., Lochner, C., Miguel, E. C., Reddy, Y. C. J., Shavitt, R. G., van den Heuvel, O. A., & Simpson, H. B. (2019). Obsessive-compulsive disorder. *Nature Reviews Disease Primers*, 5, 52. <https://doi.org/10.1038/s41572-019-0102-3>

Stewart, D. E., & Vigod, S. N. (2016). Postpartum depression. *New England Journal of Medicine*, 375(22), 2177–2186. <https://doi.org/10.1056/NEJMcp1607649>

Straub, V. J., & Mills, M. C. (2024). The interplay between male fertility, mental health and sexual function. *Nature Reviews Urology*, 22(1), 1–2. <https://doi.org/10.1038/s41585-024-00936-1>

Thomson, K. C., Romaniuk, H., Greenwood, C. J., Letcher, P., Spry, E., Macdonald, J. A., McAnally, H. M., Youssef, G. J., McIntosh, J., Hutchinson, D., Hancox, R. J., Patton, G. C., & Olsson, C. A. (2021). Adolescent antecedents of maternal and paternal perinatal depression: A 36-year prospective cohort. *Psychological Medicine*, 51(12), 2126–2133. <https://doi.org/10.1017/S0033291720000902>

Thorn, P., & Wischmann, T. (2009). German guidelines for psychosocial counselling in the area of gamete donation. *Human Fertility*, 12(2), 73–80. <https://doi.org/10.1080/14647270802712728>

Twenge, J. M., Campbell, W. K., & Foster, C. A. (2003). Parenthood and marital satisfaction: A meta-analytic review. *Journal of Marriage and Family*, 65(3), 574–583. <https://doi.org/10.1111/j.1741-3737.2003.00574.x>

Uncu, B., Fidan Acaban, R., & Acaban, G. (2025). Understanding the mourning rituals of women who have experienced perinatal loss: A qualitative study. *Omega: Journal of Death and Dying*. Advance online publication. <https://doi.org/10.1177/00302228251351225>

- Underwood, L., Waldie, K., D'Souza, S., Peterson, E. R., & Morton, S. (2016). A review of longitudinal studies on antenatal and postnatal depression. *Archives of Women's Mental Health*, 19(5), 711–720. <https://doi.org/10.1007/s00737-016-0629-1>
- Van den Bergh, B. R., & Marcoen, A. (2004). High antenatal maternal anxiety is related to ADHD symptoms, externalizing problems and anxiety in 8–9-year-olds. *Child Development*, 75, 1085–1097. <https://doi.org/10.1111/j.1467-8624.2004.00727.x>
- Van den Broeck, U., D'Hooghe, T., Enzlin, P., & Demyttenaere, K. (2010). Predictors of psychological distress in patients starting IVF treatment: Infertility-specific versus general psychological characteristics. *Human Reproduction*, 25(6), 1471–1480. <https://doi.org/10.1093/humrep/deq030>
- Van den Broeck, U., Emery, M., Wischmann, T., & Thorn, P. (2010). Counselling in infertility: Individual, couple and group interventions. *Patient Education and Counseling*, 81(3), 422–428. <https://doi.org/10.1016/j.pec.2010.10.009>
- Van Ravesteyn, L. M., Lambregtse-van den Berg, M. P., Hoogendijk, W. J. G., & Kamperman, A. M. (2017). Interventions to treat mental disorders during pregnancy: A systematic review and multiple treatment meta-analysis. *PLoS ONE*, 12(3), e0173397. <https://doi.org/10.1371/journal.pone.0173397>
- Wagner, B. (2014). Pränataler und perinataler Verlust. In B. Wagner (Hrsg.), *Komplizierte Trauer* (1. Aufl., S. 63–69). Springer.
- Walker, R., Blackie, M., & Nedeljkovic, M. (2021). Fathers' experience of perinatal obsessive-compulsive symptoms: A systematic literature review. *Clinical Child and Family Psychology Review*, 24(3), 529–541. <https://doi.org/10.1007/s10567-021-00348-2>
- Weidner, K., Garthus-Niegel, S., & Junge-Hoffmeister, J. (2018). Traumatische Geburtsverläufe: Erkennen und Vermeiden. *Zeitschrift für Geburtshilfe und Neonatologie*, 222, 189–196. <https://doi.org/10.1055/a-0641-6584>
- Wenzel, A., & Stuart, S. (2011). Social anxiety. In A. Wenzel & S. Stuart (Hrsg.), *Anxiety in childbearing women: Diagnosis and treatment* (S. 91–102). American Psychological Association. <https://doi.org/10.1037/12302-000>
- Werner, E. A., Gustafsson, H. C., Lee, S., Feng, T., Jiang, N., Desai, P., & Monk, C. (2016). PREPP: Postpartum depression prevention through the mother-infant dyad. *Archives of Women's Mental Health*, 19, 229–242. <https://doi.org/10.1007/s00737-015-0549-5>

Werner, E., Miller, M., Osborne, L. M., Kuzava, S., & Monk, C. (2015). Preventing postpartum depression: Review and recommendations. *Archives of Women's Mental Health*, 18, 41–60. <https://doi.org/10.1007/s00737-014-0475-y>

Wichman, C. L., & Stern, T. A. (2015). Diagnosing and treating depression during pregnancy. *Primary Care Companion for CNS Disorders*, 17(2). <https://doi.org/10.4088/PCC.15f01776>

Wischmann, T. (2017). Effekte psychosozialer Interventionen auf Lebensqualität und Schwangerschaftsraten bei infertilen Frauen und Männern – Eine aktuelle Übersicht. *Journal für Reproduktionsmedizin und Endokrinologie*, 14(1). <https://www.kup.at/journals/volltext/13848.html>

Wischmann, T. (2018). Psychologische Aspekte bei Frühabort. *Die Gynäkologie*, 51(4), 319–325. <https://doi.org/10.1007/s00129-017-4180-6>

Wisner, K. L., Sit, D. K., McShea, M. C., Rizzo, D. M., Zoretich, R. A., Hughes, C. L., Eng, H. F., Luther, J. F., Wisniewski, S. R., Costantino, M. L., Confer, A. L., Moses-Kolko, E. L., Famy, C. S., & Hanusa, B. H. (2013). Onset timing, thoughts of self-harm, and diagnoses in postpartum women with screen-positive depression findings. *JAMA Psychiatry*, 70(5), 490–498. <https://doi.org/10.1001/jamapsychiatry.2013.87>

World Health Organization. (2021). Infertility and its psychosocial impacts. https://www.who.int/health-topics/infertility#tab=tab_1

World Health Organization. (2025). Infertility [Fact sheet]. <https://www.who.int/news-room/fact-sheets/detail/infertility>

World Health Organization. Perinatal mental health. <https://www.who.int/teams/mental-health-and-substance-use/promotion-prevention/maternal-mental-health>

Yin, X., Sun, N., Jiang, N., Xu, X., Gan, Y., Zhang, J., Qiu, L., Yang, C., Shi, X., Chang, J., & Gong, Y. (2021). Prevalence and associated factors of antenatal depression: Systematic reviews and meta-analyses. *Clinical Psychology Review*, 83, 101932. <https://doi.org/10.1016/j.cpr.2020.101932>

YouGov. (2022). Corona bringt ein Viertel der deutschen Eltern an ihre Grenzen. <https://yougov.com/de-de/artikel/40501-corona-bringt-ein-viertel-der-deutschen-eltern-ihr>

Young, A. (2019). Perinatal obsessive compulsive disorder. *Midwifery Today*, (132). <https://www.midwiferytoday.com/mt-articles/perinatal-obsessive-compulsive-disorder/>

Zappas, M. P., Becker, K., & Walton-Moss, B. (2021). Postpartum anxiety. *Journal for Nurse Practitioners*, 17(1), 46–49. <https://doi.org/10.1016/j.nurpra.2020.08.017>

Zemestani, M., & Fazeli Nikoo, Z. (2020). Effectiveness of mindfulness-based cognitive therapy for comorbid depression and anxiety in pregnancy: A randomized controlled trial. *Archives of Women's Mental Health*, 23, 207–214. <https://doi.org/10.1007/s00737-019-00962-8>

Zhang, L., Shao, H., Huo, M., Chen, J., Tao, M., & Liu, Z. (2022). Prevalence and associated risk factors for anxiety and depression in infertile couples of ART treatment: A cross-sectional study. *BMC Psychiatry*, 22, 616. <https://doi.org/10.1186/s12888-022-04256-9>

Zhang, Z. Y., Yu, J. J., Zeng, W. T., Zhou, M. C., Duan, C. C., & Zhu, L. L. (2023). Association between antenatal depression and adverse perinatal outcomes: A prospective cohort study. *Journal of Affective Disorders*, 323, 490–495. <https://doi.org/10.1016/j.jad.2022.12.008>